

[COLLECTION 2022-23]



POOYA
INDUSTRIAL
GROUP
گروه صنعتی یویا

با ما پویا باشید ...



ام.دی.اف ملامینه
MELAMINE FACED MDF

گروه صنعتی پویا با بهره‌گیری بیش از ۶۰ سال تجربه و استفاده از جدیدترین و مجهزترین ماشین‌آلات، تجهیزات و دانش فنی روز به عنوان پیشرو در تکنولوژی و مقدار تولید در صنعت اوراق فشرده چوبی (نئوپان و MDF) در ایران شناخته شده است. در حال حاضر بیش از ۴۰ درصد از سهم بازار ایران در اختیار این گروه صنعتی می‌باشد.

شرکت‌های زیر مجموعه این گروه عبارتند از:

- شرکت پالار
- شرکت فرآیند صنعتی پویا چوب
- شرکت تولیدی ملامین سازه پویا
- شرکت روکش آریا پویا با نام تجاری «پارکو»

PARCO MDF شرکت روکش آریا پویا با نام تجاری ((پارکو))

شرکت آریا پویا با عنوان تجاری «پارکو» در سال ۱۳۹۳ با هدف تامین نیاز بازار، خودکفایی و اشتغال‌زایی اقدام به احداث و راه‌اندازی بزرگ‌ترین کارخانه تولید MDF در خاورمیانه نمود که با عنایت خداوند متعال در پایان سال ۱۳۹۴ به بهره‌برداری رسید.

کنترل کیفیت

کنترل مداوم کیفیت محصولات و بررسی ۲۴ ساعته خط تولید با استفاده از دستگاه‌های مدرن همراه با نظارت مستمر، باعث شده است تا این مجموعه همواره محصولی یکنواخت و با کیفیت تولید نماید. کیفیت محصولات تولید شده در این مجموعه، به پشتوانه‌ی رعایت مولفه‌هایی که در ادامه آمده است، تضمین می‌شود:

- دسترسی به مناسب‌ترین فرآیند تولید
- نظارت و کنترل مستمر فرآیند تولید
- استفاده از مواد اولیه‌ی مرغوب
- ماشین‌آلات با میزان اتوماسیون بالا
- همکاری با متخصصان خلاق و با تجربه

● محصولات شرکت پارکو

● MDF خام



تخته فیبر با دانسیته متوسط، MDF، تولید شده در پارکو منطبق با استاندارد EN 622-5 می‌باشد. این محصول در تولید مبلمان، دکوراسیون داخلی، بسته بندی، زیرسازی کف، سازه‌های نمایشگاهی و ... کاربرد دارد. همچنین به دلیل ساختار خاص و کیفیت بسیار بالا، گزینه‌ای ایده‌آل جهت تولید محصولات روکشی اعم از روکش طبیعی، روکش ملامینه، فویل و ... می‌باشد.

انواع MDF با کاربری‌های خاص عبارتند از:

- MDF با کیفیت صافی سطح جهت روکش PVC
- MDF نازک جهت استفاده در پشت کار، کف کسوها و ...
- MDF جهت رنگ آمیزی (Direct Painting)

انواع MDF با کاربردهای خاص بر اساس سفارش قابل تولید و عرضه می‌باشد.

طیف ابعاد قابل تولید		ابعاد محصولات استاندارد		
بر اساس سفارش		طول (m)	عرض (m)	ضخامت (mm)
طول (m)	۲/۴۴ الی ۴/۱۰ متر	۲/۴۴	۱/۸۳	نازک
عرض (m)	۱/۲۲ الی ۲/۱۰ متر	۲/۴۴	۱/۲۲	۱۶
ضخامت (mm)	۲/۵ الی ۳۵ میلی متر	۳/۶۶	۲/۱۰	۱۶



HDF خام

تخته فیبر با دانسیته بالا، HDF، تولید شده در پارکو منطبق با استاندارد EN 622-5 است. کیفیت فوق العاده بالا باعث شده تا این محصول انتخابی ایده آل جهت مصارف ذیل باشد:

- HDF جهت تولید پوسته درب (Door Skin)
- HDF جهت تولید پارکت (Flooring)
- HDF جهت رنگ آمیزی (Direct Painting)

انواع HDF جهت کاربردهای خاص بنا به سفارش قابل تولید می باشد.

آزمایش هایی که جهت کنترل کیفیت محصولات پارکو انجام می شوند به شرح ذیل می باشند:



HDF/ MDF باروکش ملامینه

MDF یا HDF پارکو روکش شده با ورق ملامینه تحت لیسانس شرکت Max Funder اتریش طبق استاندارد EN 14322 تولید می شود. محصولات روکشی پارکو انتخابی ایده آل جهت دکوراسیون داخلی، مبلمان اداری و منزل، سازه های نمایشگاهی و ... می باشند.

شرکت تولیدی ملامین سازه پویا

این شرکت فعالیت خود را در سال ۱۳۷۹ آغاز کرد و در حال حاضر در شهر اصفهان، با رعایت استانداردهای شناخته شده ی بین المللی و هماهنگ با اهداف گروه صنعتی پویا، گستره ی وسیعی از نیازهای بازار و مشتریان را برآورده می کند. ابعاد اوراق تولیدی به شرح جدول زیر می باشد.

نوع جنس	ابعاد (m)	ضخامت (mm)
MDF	۳/۶۶ × ۲/۱۰	۱۶
MDF	۳/۶۶ × ۱/۸۳	۱۶
MDF	۲/۴۴ × ۱/۸۳	۱۶

اسم آزمایش	استاندارد	نوع آزمایش	
Graphite Test	EN - 14322	بررسی کیفیت پاک شدن سطح روکش	
Acid Test		بررسی کیفیت سطح در مقابل مواد پاک کننده و اسیدی	
Hot Oil Test		بررسی کیفیت مقاومت سطح در مقابل مواد و ظروف داغ	
Steam Test		بررسی کیفیت سطح در مقابل بخارهای گوناگون	
Knife Test		بررسی کیفیت برش روکش و چسبندگی سطح به تئویان / MDF	
Abrasion Test		بررسی کیفیت سطح روکش ملامین در مقابل سایش	
Cigarette Test		بررسی کیفیت و مقاومت سطح روکش در مقابل اثر سیگار	
Wrapping Test		بررسی و کنترل تاب تولیدات	
		کروم پلیت های موجود: • برفی • برجسته • صابونی • پرزما • فریز • هایگلاس	

Pooya Industrial Group
www.pooyagroup.net

M
013

₹



www.pooyagroup.net
Pooya Industrial Group

M
019





Pooya Industrial Group
www.pooyagroup.net

TM

174

v

Pooya Industrial Group
www.pooyagroup.net

M
041

www.pooyagroup.net
Pooya Industrial Group

M
060

10



www.pooyagroup.net
Pooya Industrial Group

M
070

071 **M** Pooya Industrial Group
www.pooyagroup.net

www.pooyagroup.net
Pooya Industrial Group

M
076

1F



www.pooyagroup.net
Pooya Industrial Group

M
084

Pooya Industrial Group
www.pooyagroup.net

M

085

www.pooyagroup.net
Pooya Industrial Group

M
096

Pooya Industrial Group
www.pooyagroup.net

M
097





Pooya Industrial Group
www.pooyagroup.net

TM
175

www.pooyagroup.net
Pooya Industrial Group

M
110

۲۲

Pooya Industrial Group
www.pooyagroup.net

M
119



www.pooyagroup.net
Pooya Industrial Group


M
126

Pooya Industrial Group
www.pooyagroup.net

M

128

PV



Pooya Industrial Group
www.pooyagroup.net

M
137

TEI

The background of the entire page is a close-up, vertical view of a light-colored wood grain. The grain runs vertically, showing various knots and natural wood textures. The color is a warm, light brown or tan.

www.pooyagroup.net
Pooya Industrial Group

M
138

Pooya Industrial Group
www.pooyagroup.net

M
147

۳۳۳





Pooya Industrial Group
www.pooyagroup.net

M
176

۳۵

www.pooyagroup.net
Pooya Industrial Group

M
148

۳۶

Pooya Industrial Group
www.pooyagroup.net

M
149

۳۷

www.pooyagroup.net
Pooya Industrial Group

M

150

۳۸



www.pooyagroup.net
Pooya Industrial Group

M
151

٢٠

Pooya Industrial Group
www.pooyagroup.net

M
152

61

www.pooyagroup.net
Pooya Industrial Group

M
156

۴۲



Pooya Industrial Group
www.pooyagroup.net

M
157

FP



www.pooyagroup.net
Pooya Industrial Group

M
159

Pooya Industrial Group
www.pooyagroup.net

M
160

F6



www.pooyagroup.com
Pooya Industrial Group

M
166

Pooya Industrial Group
www.pooyagroup.net

M
167

FY





Pooya Industrial Group
www.pooyagroup.nl

M
177

177

Pooya Industrial Group
www.pooyagroup.net

M
170

PI

www.pooyagroup.net
Pooya Industrial Group

M
171

۵۲



www.pooyagroup.net
Pooya Industrial Group

TM
174

Pooya Industrial Group
www.pooyagroup.net

TM
175

۵۷





Pooya Industrial Group
www.pooyagroup.net

M
179

۵۹


www.pooyagroup.net
Pooya Industrial Group

M
176

۹۰

Pooya Industrial Group
www.pooyagroup.net

M
177



New Product

محصول جدید

• Deep Embossed MDF

The deep embossed design makes a thickness difference on the surface of the sheet by using new technology. It creates a texture that makes you look and feel more like real wood. This product is available in 2.44x2.10x0.016 dimensions.

• ام.دی.اف فوق برجسته

طرح فوق برجسته با ایجاد اختلاف ضخامت در سطح ورق (با استفاده از تکنولوژی جدید) تجربه لمس بافت طبیعی چوب را بر روی محصول نهایی به ارمغان می آورد. این محصول در ابعاد ۱۶/۰ x ۲/۱۰ x ۲/۴۴ قابل عرضه می باشد.



www.pooyagroup.net
Pooya Industrial Group

DE
149

Pooya Industrial Group
www.pooyagroup.net

DE
152





Pooya Industrial Group
www.pooyagroup.net

DE
149

۶۹

www.pooyagroup.net
Pooya Industrial Group

DE
167

V°

● Raw HDF




High density fiberboard, HDF, produced in Parco, complies with European Standard EN622-5. High quality of this product makes it suitable for following usages:

- Door skin
- Flooring
- Direct painting

All types of HDF are available to order:

The following quality control tests are carried out in Parco:



● Melamine faced MDF/HDF



Melamine coated MDF/HDF board, produced in Parco, is under FunderMax Austria license and complying with EN 14322 Standard. Standard dimensions and variety of colors (other sizes are available to order).



Melamin Sazeh Pooya Company

This company started its activity in 2000. Currently based in Esfahan, it supplies a vast range of market and customer demands in compliance with reputable international standards and in line with the objectives of Pooya Industrial Group. The dimensions of the produced sheets are according to the following table.

Material	Dimensions (m)	Thickness (mm)
MDF	3.66 x 2.10	16
MDF	3.66 x 1.83	16
MDF	2.44 x 1.83	16

Quality tests for Melamine Faced MDF

Test Name	Standard	Test Objectives
Graphite Test	EN - 14322	Study of resistance against staining
Acid Test		Study of resistance against acids and detergents
Hot Oil Test		Study of resistance against indirect contact with heat (e.g. through hot dishes)
Steam Test		Study of resistance against steam
Knife Test		Study of resistance to delamination of the decorative surface layer and cut edge
Abrasion Test		Study of the resistance of melamine lamination surface against abrasion
Cigarette Test		Study of the resistance and strength of lamination surface against source of direct heat (e.g. Cigarettes)
Wrapping Test		Study and control of wrapping of products

Available Chrome Plates: ● Barfi ● Sabouni(Matt) ● Egger(Barjesteh) ● Prizma ● Freeze ● High Gloss

Taking benefits from over 60 years of experience and using the latest and the best equipped machinery, facilities and know-how, Pooya Industrial Group has become known as a pioneer in technology and quantity of production in the compressed Wood Sheet Industry (particle board and MDF) in Iran. At present, more than 40 percent of the Iranian market share is held by this Industrial Group.

The subsidiary companies of this Group are as follows:

- Palar Company
- Melamin Sazeh Pooya Company
- Pooya Choob Company
- Aria Pooya Company with the Trade Name "Parco"

PARCO MDF Aria Pooya Company under the Trade Name "Parco"

In 2014 in regards to the market requirements, self-sufficiency and job creation, Aria Pooya Company under the trade name "Parco" constructed the largest MDF production factory in the Middle East.

Quality Control

The company has always been succeeded to produce homogenous and high-quality products. taking advantages of constant quality control of the products and examination of the production line under the continuous supervision. The quality of the products manufactured at this factory is guaranteed by following components:

- The most suitable production process;
- Continuous control and monitoring of the production process;
- High-quality raw materials;
- Highly automated machinery.
- Creative and skilled experts;

●Parco Production

●Raw MDF



Medium density fiberboard, MDF, produced in Parco, complies with European Standard EN622-5. This product is used for furniture production, interior design, packaging, flooring and exhibition (displays, stands, kiosks). Also due to the special characteristics and high quality of Parco MDF, it is the best choice for lamination such as veneer, melamine and foil.

Types of MDF with specific usage consist of:

- MDF with smooth surface for PVC lamination
- Thin MDF for furniture back panels, drawer bottoms and ...
- MDF for direct painting

All types of MDF with specific usage are available to order:

Dimensions of standard products			Range of producible products	
Length(m)	width(m)	Thickness(mm)	Based on order	
2.44	1.83	Thin	Length (m)	2.44 to 4.10
2.44	1.22	16	Width (m)	1.22 to 2.10
3.66	2.10	16	Thickness (mm)	2.5 to 35



ملامین سازه پویا



پارکو



پالار



پویا چوب



تهران . خیابان پاسداران . خیابان نارنجستان سوم . پلاک ۱۰ . ساختمان پویا
کدپستی: ۱۶۹۷۳ - ۱۹۵۷۹ | تلفن: ۲۲۸۲۸۶۰۱ | دورنگار: ۲۲۸۲۸۶۰۶
sales@pooyagroup.net | www.pooyagroup.net